




ETERNO Adjustable paving supports.



These units are multi-components for assembling on project sites. They comprise of base plate, adjustable threaded (screw) support stem, extension element and paving support head, either fixed or self-leveling.

These units refer to a type SE1 to SE14 can provide paving support heights varying from 37.5 to 550mm. Each unit is adjustable as shown in table below and can be adjusted by the use of regulator adjustable key.

The Eterno adjustable paving supports can be installed over substrate with falls up to 5% and with using the self-leveling paving support head, the pavers can be installed level.

Assembling of these units is on project sites and the following table covers the components and their packaging.

C:\Documents and Settings\HP_Administrator\My Documents\Hitchins File Cabinet\Products & Specs\Product Price List\ETERNO\ETERNO.doc

Hitchins New Zealand Limited
Phone 04 527 7248 - Fax 0800 448 622 - Phone 09 360 3246

Eterno adjustable paving support components and packaging

EAJ1062010

CODE		PRODUCT NAME AND DETAILS	Packaging in Cartons
E 1200 27 000	B1 –	BASE PLATE TOGETHER WITH THREADED ADJUSTABLE SUPPORT	40
E 1400 22 000	V1 –		40
E 1200 40 000	B2 –	BASE PLATE TOGETHER WITH THREADED ADJUSTABLE SUPPORT	40
E 1400 35 000	V2 –		40
E 1200 65 000	B3 –	BASE PLATE ONLY USED FOR SE3 TO SE14	40
E 1400 60 000	V3 –	THREADED ADJUSTABLE SUPPORT	40
E 1401 05 000	V4 –	THREADED ADJUSTABLE SUPPORT	40
E 1401 55 000	V5 –	THREADED ADJUSTABLE SUPPORT	40
E 1301 25 000	P1 –	EXTENSION ELEMENT	40
E 1510 05 004	T4 –	SELF LEVELING PAVING SUPPORT HEAD	40
E 1500 10 004	TF4 –	FIXED PAVING SUPPORT HEAD	80
E 0810 03 000	LH3 –	LEVELING DISC AT 3MM	250
E 2003 20 120	KEY –	TOOL FOR ADJUSTING THREADED SUPPORT TO LEVEL	1

Hitchins New Zealand Limited
Phone 04 527 7248 - Fax 0800 448 622 - Phone 09 360 3246

UNIT TYPES AND COMPONENTS TO PRODUCE – ASSEMBLING INSTRUCTIONS

TYPE	SIZE MM	BASE IN CARTONS	PACKAGING Other Component in cartons	PAVING HEAD SUPPORT
SE 1	37.5 to 50	Base B1 + V1	This unit is in one box to assemble	P. H SUPPORT
SE 2	50 to 75	Base B2 + V2	This unit is in one box to assemble	P. H SUPPORT
SE 3	75 to 120	Base B3	Plus V3 threaded adjustable support	P. H SUPPORT
SE 4	120 to 170	Base B3	Plus V4 threaded adjustable support	P. H SUPPORT
SE 5	170 to 215	Base B3	Plus V5 threaded adjustable support	P. H SUPPORT
SE 6	140 to 230	Base B3	Plus 1 extension element + V3	P. H SUPPORT
SE 7	185 to 275	Base B3	Plus 1 extension element + V4	P. H SUPPORT
SE 8	235 to 325	Base B3	Plus 1 extension element + V5	P. H SUPPORT
SE 9	205 to 345	Base B3	Plus 2 extension element + V3	P. H SUPPORT
SE 10	230 to 385	Base B3	Plus 2 extension element + V4	P. H SUPPORT
SE 11	300 to 400	Base B3	2 of extension element + V5	P. H SUPPORT
SE 12	270 to 455	Base B3	3 of extension element + V3	P. H SUPPORT
SE 13	315 to 500	Base B3	3 of extension element + V4	P. H SUPPORT
SE 14	365 to 550	Base B3	3 of extension element + V5	P. H SUPPORT

